

Vending Machines

MRO Supply Solutions



Canada/USA Toll Free Numbers:

- ☎ Toll Free: 855.488.3645
- ✉ sales@lgindustrial.com
- 🌐 www.lgindustrial.com

LGI Industrial & Construction Supplies

#201-20120 Stewart Cres.
Maple Ridge, BC
V2X 0T4 Canada



Dimensions:
73" Tall x 38.5" Wide x 40" Deep
Weight: Approx. 650 lbs unstocked

ATC Helix

- High Security-100% Accountability
- Holds up to 60 SKUs
- Provides secure point-of use distribution
- 2 versions: Main with Touchscreen POU or Aux (add-on)
- 73" Tall x 38.5" Wide x 40" Deep
- Cabinet Color: Black
- May require repackaging

STANDARD HELIX CONFIGURATION **

Helix Count	10	15	18	24
Slot Depth	2.02	1.30	1.05	0.75
Each single helix shelf can hold 10 SKUs in a 2.5 in opening Shelf height 5.5-7.25in Maximum shelf capacity 100 lbs.				

Helix ships with below configuration

Shelf 1	QTY 10-10 Count Helix
Shelf 2	QTY 10-10 Count Helix
Shelf 3	QTY 10-15 Count Helix
Shelf 4	QTY 10-15 Count Helix
Shelf 5	QTY 10-18 Count Helix
Shelf 6	QTY 10-24 Count Helix

****Additional sizes available upon request**



Weight: Approx. 300 lbs unstocked

ATC Lockers

- Transparent doors for easy review of product
- 18-Door configuration
- Load weight per shelf: 50lbs
- Manual override in case of power failure
- Cabinet color: Black
- Direct network connection and single power supply 110-230V
- Can be set up as main unit with touchscreen POU or as an auxiliary unit (add-on)
- Cabinet dimensions: 36" W x 72"H x 18" D
- Each locker compartment: 12" W x 12"H x 18" D



ATC13

- Sturdy industrial cabinet with electronically locked drawers
- 2 versions: Main with touchscreen POU or auxiliary (add-on)
- Load weight per drawer: approx. 400lbs
- Manual override in case of power failure
- Cabinet color: Black
- Direct network connection and single power supply 110-230V
- Cabinet dimensions: 36" W x 46"H x 27" D
- Drawer dimensions: 12-3" High & 1-4" High

Weight: Approx. 900 lbs unstocked



ATC8

- Sturdy industrial cabinet with electronically locked drawers
- 2 versions: Main with touchscreen POU or auxiliary (add-on)
- Load weight per drawer: approx. 400lbs
- Manual override in case of power failure
- Cabinet color: Black
- Direct network connection and single power supply 110-230V
- Cabinet dimensions: 36" W x 46"H x 27" D
- Drawer dimensions: 3-4" High, 4-5" High, and 1-8" High

Weight: Approx. 900 lbs unstocked



Weight: Approx. 300 lbs unstocked

ATC4

- Sturdy industrial cabinet with electronically locked drawers
- 2 versions: Main with touchscreen POU and auxiliary (add-on)
- Load weight per drawer: approx. 400 lbs.
- Manual override in case of power failure
- Cabinet color: Black
- Direct network connection and single power supply 110-230V
- Cabinet dimensions: 30" W x 16"H x 18" D
- Drawer dimensions: 4-3" High drawer



ATC Software



Hundreds of reports available



Automate ordering



Track by customizable cost centers



Customizable product categories



Reduce consumption



Increase productivity

Canada/USA Toll Free Numbers:

- ☎ Toll Free: 855.488.3645
- ✉ sales@lgindustrial.com
- 🌐 www.lgindustrial.com



LGI Industrial & Construction Supplies

#201-20120 Stewart Cres.
Maple Ridge, BC
V2X 0T4 Canada