


PROMOTION BEYOND THE GRAIN

FLAP DISCS - SANDING DISCS - CLEANERS

 **WALTER**
Achieve Greatness™



Promo starts on **February 2, 2026**, while supplies last*



RECEIVE A FREE*
WALTER MULTI-TOOL



*Offer applies to select products.
See back cover for more details.

Advanced Solutions for a Flawless Finish Every Time

WALTER has developed exclusive technologies that go **BEYOND THE GRAIN** to provide the longest lasting and most productive ceramic solutions available today!

*Please contact u for more details.

MAX LIFE™
GLUE

V-STRONG™
BACKING TECHNOLOGY



FLAP DISCS

SERIES: 06A, 06B, 06F, 06U, 06W, 06Y, 15I, 15Q, 15R, 15U, 15W, AND 15Y



BLENDEX™ FLAP DISCS

FEATURED PRODUCT

Combine the aggressive material removal of a flap disc with the smooth finish and versatility of a surface conditioning disc

TYPE 27



Dia.	Arbor	Grade	Equivalent Grit	Order No.	Std. Pkg.
4 1/2"	7/8"	X-Coarse	40	15I454	10
4 1/2"	7/8"	Coarse	80	15I458	10
4 1/2"	7/8"	Medium	180	15I468	10
4 1/2"	7/8"	Fine	280	15I478	10
5"	7/8"	X-Coarse	40	15I504	10
5"	7/8"	Coarse	80	15I508	10
5"	7/8"	Medium	180	15I518	10
5"	7/8"	Fine	280	15I528	10

ENDURO-FLEX™

Longest life and highest overall material removal in the industry

TYPE 27S **SPIN-ON**



Dia.	Arbor	Grit 40	Grit 60	Grit 80	Grit 120
4 1/2"	5/8"-11"	06B454	06B456	06B458	06B462
5"	5/8"-11"	06B504	06B506	06B508	06B512
6"	5/8"-11"	06B604	06B606	06B608	06B612

Standard package 10

Dia.	Arbor	Grit 40	Grit 60	Grit 80	Grit 120
4 1/2"	7/8"	15R454	15R456	15R458	15R462
5"	7/8"	15R504	15R506	15R508	15R512
6"	7/8"	15R604	15R606	15R608	15R612
7"	7/8"	15R704	15R706	15R708	15R712

Always use with flange 30-B 057 Standard package 10

ENDURO-FLEX™ TURBO

100% ceramic grain delivering the fastest removal rate in the industry, now with +25% more life!

TYPE 27S **SPIN-ON**



Dia.	Arbor	Grit 36/60	Std. Pkg.	Std. Ctn.
4 1/2"	5/8"-11"	06A452	10	40
4 1/2"	5/8"-11" metal hub	06A457	10	40
5"	5/8"-11"	06A502	10	40
6"	5/8"-11"	06A602	10	40
7"	5/8"-11" metal hub	06A707	10	40

TYPE 27

Dia.	Arbor	Grit 36/60	Std. Pkg.	Std. Ctn.
4 1/2"	7/8"	06A462	10	40
5"	7/8"	06A512	10	40
7"	7/8"	06A712	10	40

TYPE 29

Dia.	Arbor	Grit 36/60	Std. Pkg.	Std. Ctn.
4 1/2"	7/8"	06A482	10	40
4 1/2"	5/8"-11" metal hub	06A487	10	40
5"	7/8"	06A532	10	40
5"	5/8"-11" metal hub	06A537	10	40

Always use with flange 30-B 057

ENDURO-FLEX™ STAINLESS

Guaranteed not to contaminate stainless steel



TYPE 27S **SPIN-ON**

Dia.	Arbor	Grit 40	Grit 60	Grit 80	Grit 120
4 1/2"	5/8"-11"	06F454	06F456	06F458	06F462
5"	5/8"-11"	06F504	06F506	06F508	06F512
6"	5/8"-11"	06F604	06F606	06F608	06F612

Standard package 10

TYPE 27

Dia.	Arbor	Grit 40	Grit 60	Grit 80	Grit 120
4 1/2"	7/8"	15Q454	15Q456	15Q458	15Q462
5"	7/8"	15Q504	15Q506	15Q508	15Q512
7"	7/8"	15Q704	15Q706	15Q708	15Q712

Always use with flange 30-B 057 Standard package 10

ENDURO-FLEX™ ALU™

High-performance flap disc for aluminum surfaces and non-ferrous alloys

TYPE 27S **SPIN-ON**



Dia.	Arbor	Grit 40	Grit 60	Grit 80
4 1/2"	5/8"-11"	06U454	06U456	06U458
5"	5/8"-11"	06U504	06U506	06U508
6"	5/8"-11"	06U604	06U606	06U608

Standard package 10

Dia.	Arbor	Grit 40	Grit 60	Grit 80
7"	7/8"	15U704	15U706	15U708

Always use with flange 30-B 057 Standard package 10

ENDURO-FLEX™ 2-IN-1™

Blend and finish in one-step



Dia.	Arbor	Order No.	Grit
4 1/2"	5/8"-11"	15I453	150
5"	5/8"-11"	15I503	150

Standard package 10

ENDURO-FLEX™ 2-IN-1 TURBO™

Fast, versatile finishing



Dia.	Arbor	Order No.	Grit
4 1/2"	5/8"-11"	15I451	100
5"	5/8"-11"	15I501	100

Always use with flange 30-B 057 Standard package 10

ALLSTEEL™

Industrial grade flap discs for a variety of applications

TYPE 27

Dia.	Arbor	Grit 40	Grit 60	Grit 80	Grit 120
4 1/2"	7/8"	15W454	15W456	15W458	15W462
5"	7/8"	15W504	15W506	15W508	15W512
6"	7/8"	15W604	15W606	15W608	15W612

Also available in 5/8"-11 arbor Standard package 10

ALLSTEEL™ TURBO

100% zirconia grain & low flap configuration for increased removal rate

TYPE 27

Dia.	Arbor	Grit 40	Grit 60	Grit 80
4 1/2"	7/8"	15Y454	15Y456	15Y458
5"	7/8"	15Y504	15Y506	15Y508
6"	7/8"	15Y604	15Y606	15Y608

Also available in 5/8"-11 arbor Standard package 10

sales@lgindustrial.com
604 457 3310



SANDING DISCS

SERIES: 15A, 15C, 15D, 15E, 15F, 15G, 15M, 15N, 15P AND 15X

XTRACUT XX™

FEATURED PRODUCT

Self-sharpening ceramic disc with exceptional removal rates



Dia.	Arbor	Grit 36+	Grit 60+	Grit 80+
4 1/2"	7/8"	15N453	15N456	15N458
5"	7/8"	15N503	15N506	15N508
6"	7/8"	15N603	15N606	15N608
7"	7/8"	15N703	15N706	15N708

Standard package of 25

XTRACUT™

Highest performance sanding discs in steel



Dia.	Arbor	Extra Coarse	Coarse	Medium
4 1/2"	7/8"	15A453	15A456	15A458
5"	7/8"	15A503	15A506	15A508
6"	7/8"	15A603	15A606	15A608
7"	7/8"	15A703	15A706	15A708

Standard package of 25

XTRACUT™ QUICK-CHANGE

For faster disc change-outs



Dia.	Arbor	Extra Coarse	Coarse	Medium
4 1/2"	5/8"-11	15A473	15A476	15A478
5"	5/8"-11	15A523	15A526	15A528
7"	5/8"-11	15A723	15A726	15A728

Standard package of 25

FLAP WHEELS



COOLCUT™

Consistent high quality finish



Dia.	Width	Grit 40	Grit 60	Grit 80	Grit 120	Grit 180	Grit 240
1 1/2"	3/8"	15F004	15F006	15F008	15F012	-	-
5/8"	3/4"	-	15F016	15F018	15F022	15F028	-
1"	3/8"	15F054	15F056	15F058	15F062	-	-
1 1/2"	1"	15F104	15F106	15F108	15F112	-	15F124
1"	1"	15F154	15F156	15F158	15F162	-	-
2"	3/8"	15F204	15F206	15F208	15F212	-	-
2"	1"	15F304	15F306	15F308	15F312	-	15F324
2 1/2"	1 1/2"	15F504	15F506	15F508	15F512	-	15F524
3"	1"	15F704	15F706	15F708	15F712	-	-
3"	1 1/2"	15F804	15F806	15F808	15F812	-	15F824
3"	2"	15F904	15F906	15F908	15F912	-	-

Standard package of 10

TWO-IN-ONE™

Combine two steps in one



Dia.	Width	Medium	Fine	Extra Fine	Extra Fine Flex	Polishing
2"	1"	-	15E124	15E126	-	-
3"	1 3/4"	15E162	15E164	15E166	15E167	15E168
3"	1 1/2"	15E652	15E654	15E656	-	15E658
6"	1"	-	15E295	15E296	-	-

Standard package of 1

COOLCUT™

Economical solution for weld blending and finishing on steel surfaces



Dia.	Arbor	Grit 24	Grit 36	Grit 40	Grit 50	Grit 60	Grit 80	Grit 100
4 1/2"	7/8"	15C452	15C453	15C454	15C455	15C456	15C458	15C460
5"	7/8"	15C502	15C503	15C504	15C505	15C506	15C508	15C510
7"	7/8"	15C702	15C703	15C704	15C705	15C706	15C708	15C710

Also available in grit 120

Standard package of 25

COOLCUT XX™

Provides aggressive material removal rates and the longest life on various metals



Dia.	Arbor	Grit 24	Grit 36	Grit 50	Grit 60	Grit 80	Grit 100	Grit 120
4 1/2"	7/8"	15X452	15X453	15X455	15X456	15X458	15X460	15X462
5"	7/8"	15X502	15X503	15X505	15X506	15X508	15X510	15X512
6"	7/8"	15X602	15X603	15X605	15X606	15X608	15X610	15X612
7"	7/8"	15X702	15X703	15X705	15X706	15X708	15X710	15X712

Standard package of 25

COOLCUT XX™ QUICK-CHANGE

Now with SPIN-ON™ system



Dia.	Arbor	Grit 36	Grit 50	Grit 60	Grit 80	Grit 120
4 1/2"	5/8"-11	15X473	15X475	15X476	15X478	15X482
5"	5/8"-11	15X523	15X525	15X526	15X528	15X532
7"	5/8"-11	15X723	-	15X726	15X728	15X732

Standard package of 25

BACKING PADS



HIGH PERFORMANCE RUBBER BACKING PAD ASSEMBLIES

Dia.	Arbor	Description	Order No.	Std. Pkg.	Std. Ctn.
4 1/2"	5/8"-11	BACKING PAD ASSEMBLIES	15D044	1	10
5"	5/8"-11	BACKING PAD ASSEMBLIES	15D054	1	10
6"	5/8"-11	BACKING PAD ASSEMBLIES	15D064	1	10
7"	5/8"-11	BACKING PAD ASSEMBLIES	15D027	1	10
4 1/2"	5/8"-11	RUBBER BACKING PAD	15D144	1	10
5"	5/8"-11	RUBBER BACKING PAD	15D154	1	10
6"	5/8"-11	RUBBER BACKING PAD	15D164	1	10
7"	5/8"-11	RUBBER BACKING PAD	15D127	1	10

TURBO BACKING PAD ASSEMBLIES

Special saucer shaped backing pad with ribbed backing

Dia.	Arbor	Black	White	Std. Pkg.	Std. Ctn.
4 1/2"	5/8"-11	15M044	15M045	1	10
5"	5/8"-11	15M054	15M055	1	10
6"	5/8"-11	15M064	15M065	1	10
7"	5/8"-11	15M007	15M008	1	10

CLEANERS & DEGREASERS

SERIES: LIMITED ITEMS FROM 53C AND 53G

FEATURED PRODUCT

HIGH-STRENGTH CITRUS-BASED DEGREASER

SC 400™ LOW VOC

Formulated with citrus peel extracts, this heavy-duty cleaner effectively removes tar, bitumen, grease, lubricants, and oils.



Description	Size		Order No.	SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 ml	16.9 oz.	53G653	L-202	12
Liquid	3.78 L	1 gal	53G655	L-202	1
Liquid	20 L	5.2 gal	53G657	L-202	1
Liquid	200 L	52.8 gal	53G658	L-202	1

CLEANER & DEGREASER

CB 100™

Next-generation cleaning technology. Powered by our exclusive Nature Boost™ formula, unsurpassed in its ability to remove the most stubborn industrial contaminants. NSF category C1, registration #148555



Description	Size		Order No.	SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 ml	16.9 oz.	53G163	L-155	12
Liquid	3.78 L	1 gal	53G165	L-155	1
Liquid	20 L	5.2 gal	53G167	L-155	1
Liquid	208 L	55 gal	53G168	L-155	1

GENERAL DEGREASER

SLAP SHOT™ LOW VOC

Canada 2024 VOC-compliant heavy-duty degreaser: <10% VOCs, eco-friendly, tackles grease, oil, and grime without residue for a cleaner, healthier environment.



Description	Size		Order No.	SDS	Std. Pkg.
	Metric	US Gal			
Aerosol	500 ml	16.9 oz.	53C512	L-200	12
Sprayer	500 ml	16.9 oz.	53C513	L-201	12
Liquid	3.78 L	1 gal	53C516	L-201	1
Liquid	20 L	5.2 gal	53C517	L-201	1
Liquid	200 L	52.8 gal	53C519	L-201	1

CLEANER & DEGREASER - NON FERROUS METALS

CB 100 ALU™

Powerful cleaner/degreaser with Nature Boost™ technology. Specifically formulated for aluminum and sensitive alloys, akin to CB 100™. NSF category A1, registration #163931



Description	Size		Order No.	SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 ml	16.9 oz.	53G123	L-158	12
Liquid	3.78 L	1 gal	53G125	L-158	1
Liquid	20 L	5.2 gal	53G127	L-158	1
Liquid	208 L	55 gal	53G128	L-158	1

RECEIVE A FREE* WALTER MULTI-TOOL



For every purchase of 2 packs of WALTER flap discs, sanding discs, or flap wheels included in the promotion.

*Valid for select products. While supplies last.



*Some conditions apply. Other skus may qualify. Contact us for details. Limited time offer, while supplies last. All taxes extra. Promo starts on February 2, 2026.

sales@lgindustrial.com
604 457 3310

